

| | Hits | Search Text | DBs |
|---|------|--|---|
| 1 | 1 | ("6427144").PN. | USPAT |
| 2 | 6627 | (dictionar\$4 or glossar\$3 or thesaurus\$2) and file\$1 and (inquir\$3 or question\$1 or quer\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 6627 | (dictionar\$4 or glossar\$3 or thesaurus\$2) and file\$1 and (inquir\$3 or question\$1 or quer\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 1778 | (dictionar\$4 or glossar\$3 or thesaurus\$2) and file\$1 and ((inquir\$3 or question\$1 or quer\$3) same (organiz\$ or arrang44 or classif\$4 or categoriz\$4 or group\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 1112 | ((dictionar\$4 or glossar\$3 or thesaurus\$2) and file\$1 and ((inquir\$3 or question\$1 or quer\$3) same (organiz\$ or arrang44 or classif\$4 or categoriz\$4 or group\$4))) and (@ad < "19991118") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 890 | ((((dictionar\$4 or glossar\$3 or thesaurus\$2) and file\$1 and ((inquir\$3 or question\$1 or quer\$3) same (organiz\$ or arrang44 or classif\$4 or categoriz\$4 or group\$4))) and (@ad < "19991118")) and (record\$1 or tuple\$1 or row\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 7 | 833 | (((((dictionar\$4 or glossar\$3 or thesaurus\$2) and file\$1 and ((inquir\$3 or question\$1 or quer\$3) same (organiz\$ or arrang44 or classif\$4 or categoriz\$4 or group\$4))) and (@ad < "19991118")) and (record\$1 or tuple\$1 or row\$1)) and (state\$1 or condition\$1 or status\$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 8 | 614 | (((((dictionar\$4 or glossar\$3 or thesaurus\$2) and file\$1 and ((inquir\$3 or question\$1 or quer\$3) same (organiz\$ or arrang44 or classif\$4 or categoriz\$4 or group\$4))) and (@ad < "19991118")) and (record\$1 or tuple\$1 or row\$1)) and ((state\$1 or condition\$1 or status\$2) with (data or information)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|--------|---|---|
| 9 | 126 | (((((dictionary\$4 or glossar\$3 or thesaurus\$2) and file\$1 and ((inquir\$3 or question\$1 or quer\$3) same (organiz\$ or arrang44 or classif\$4 or categoriz\$4 or group\$4))) and (@ad < "19991118")) and (record\$1 or tuple\$1 or row\$1)) and ((state\$1 or condition\$1 or status\$2) with (data or information))) and (condition\$1 with (satisf\$4 or met)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 10 | 8 | (((((dictionary\$4 or glossar\$3 or thesaurus\$2) and file\$1 and ((inquir\$3 or question\$1 or quer\$3) same (organiz\$ or arrang44 or classif\$4 or categoriz\$4 or group\$4))) and (@ad < "19991118")) and (record\$1 or tuple\$1 or row\$1)) and ((state\$1 or condition\$1 or status\$2) with (data or information))) and (condition\$1 with (satisf\$4 or met))) and ((dictionary\$4 or glossar\$3 or thesaurus\$2) with file\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 11 | 111392 | (information with process\$4) and (computer with system\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 12 | 428 | information with gather\$4 with facilit\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 13 | 301 | configur\$4 and (dictionary with file\$1) and (data with structure\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 14 | 0 | (configur\$4 and (dictionary with file\$1) and (data with structure\$1)) and (ascertain\$4 with (state or condition or status) with information) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 15 | 5 | (configur\$4 and (dictionary with file\$1) and (data with structure\$1)) and (ascertain\$4 same (state or condition or status)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 16 | 192 | (configur\$4 and (dictionary with file\$1) and (data with structure\$1)) and ((gather\$4 or collect\$4) with (information or data)) and (dictionary with file\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|---|
| 17 | 3 | ((configur\$4 and (dictionary with file\$1) and (data with structure\$1)) and ((gather\$4 or collect\$4) with (information or data)) and (dictionary with file\$1)) and (subject with group\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 18 | 163 | ((configur\$4 and (dictionary with file\$1) and (data with structure\$1)) and ((gather\$4 or collect\$4) with (information or data)) and (dictionary with file\$1)) and version\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 19 | 41 | ((configur\$4 and (dictionary with file\$1) and (data with structure\$1)) and ((gather\$4 or collect\$4) with (information or data)) and (dictionary with file\$1)) and version\$1) and (@ad < "19991118") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 20 | 11 | ("5005122") or ("5553282") or ("5619716") or ("5659735") or ("5668992") or ("5752042") or ("5752245") or ("5835911") or ("5909689") or ("5915112") or ("5923885")).PN. | USPAT |
| 21 | 2 | (configur\$4 and (dictionary with file\$1) and (data with structure\$1)) and (ascertain\$4 same (state or condition or status) same information) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--|-------|
| 22 | 49 | ("6427144") or ("5408608") or ("5809471") or ("5864844") or ("4267568") or ("4562341") or ("5577197") or ("5678046") or ("5689233") or ("5737726") or ("5790664") or ("5878423") or ("5917965") or ("5940844") or ("5963659") or ("5991290") or ("6164528") or ("6181837") or ("6185689") or ("6283366") or ("6354491") or ("4358824") or ("5857966") or ("5989187") or ("6004266") or ("6053864") or ("6061433") or ("6061433") or ("6076065") or ("6106459") or ("5636839") or ("6131065") or ("5224162") or ("5274547") or ("5339156") or ("5574975") or ("5410586") or ("5745751") or ("6044369") or ("6104505") or ("5684999") or ("6058387") or ("5592069") or ("5619708") or ("5640577") or ("5694024") or ("5867006") or ("6036344") or ("5596746") or ("5392390")) .PN. | USPAT |

| | Hits | Search Text | DBs |
|---|------|--|---|
| 1 | 2161 | dictionary with file\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 2503 | (dictionary with file\$1) or DDF | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 6529 | state with information with computer\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 41 | 12 and 13 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 39 | 14 and (inquir\$3 or quer\$3 or request\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 27 | 15 and (@ad < "19991118") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|---|-------|--|---|
| 1 | 1 | (inquiry with type\$1) and registr\$3 and (external adj process\$3) and (ini\$1 adj file\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 75 | (inquiry with type\$1) and (registr\$3 or (external adj process\$3) or (ini\$1 adj file\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 1 | 12 and (dictionary with file\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 19 | 12 and (dictionary or ddf) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 56 | 12 not 13 not 14 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 10035 | ("707200-204").PN. or ((707/1-10) or (707/100-104.1) or (711/1) or (711/210) or (711/207)).CCLS. | USPAT |
| 7 | 8966 | 16 and (@ad < "19991118") | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 8 | 200 | 17 and ((dictionary with file\$1) or DDF) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 9 | 164 | 18 and stor\$4 and (inquir\$3 or quer\$3 or request\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|--------------------------------|---|
| 10 | 113 | 19 and state\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 11 | 51 | 110 and (satisfied or matched) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |